

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
FOC-1785	Barcoding	In the Barcode Printing screen, the Recent Deliveries button was incorrectly listing items which had 'out' type stock movements this has been changed to show 'in' type stock movement items.	Bug
FOC-1563	Benefits	UK only - Underpaid claim record was created when "Auto Allocation" Institution setting was active and claim was moved from "Claimed" to "Paid Claim" state.	Bug
FOC-1677	Benefits	It was not possible to delete a benefit in the NHS/Corporate Tracking screen.	Bug
FOC-2457	Benefits	UK and Ireland Only - In the Benefit Tracking module, in order to avoid errors caused by selecting a benefit without opening the relevant institution, when the module opens, if the application country is Ireland then the first institution from the top will be opened. If the application country is UK and no Institutions are marked as a NHS institution, in the Institutions Maintenance screen, then the first institution from the top will be opened. If application country is UK and at least one institution is marked as a NHS institution, then that particular Institution will be opened.	Bug
FOC-2632	Benefits	When adjusting a benefit and writing off the difference, the write off payment was not created.	Bug
FOC-2797	Benefits	The last full sight test date was showing as the GOS form creation date. This will now show as the last full visit created date.	Bug
FOC-2243	CL Refraction	The Clinical Contact lens screen was displaying a 'Previous Dispenses' button which should not be there.	Bug
FOC-2590	CL Refraction	When configured to use the Enhanced CL Dispense screen, if a variable priced CL item was selected for the right eye, an oracle error occurred.	Bug
FOC-2674	CL Refraction	On item selection, the left Contact Lens within CL Dispensing screen was missing Cylinder, Axis and Add values.	Bug
FOC-2689	CL Refraction	In the CL Rx screen, when copying converted prescription details using the Copy Previous button, a 'field not found' error occurred.	Bug
FOC-2690	CL Refraction	The Dispense button in the CL Rx screen is disabled if the fitting type selection is Check-Up only. However, the button was not enabled when the user changed the fitting type to another type. The fitting type will also change the status of the 'Update Recall' checkbox if the prescription date is today. If the fitting type is 'Trial' then it will be unticked, otherwise it will be ticked.	Bug
FOC-2694	CL Refraction	The tick box for 'Update Recall' on the contact lens prescription screen was ignoring the system setting for being auto-ticked. The tick box was also ticked for all prescriptions. This behaviour has now been changed so that it is ticked when:- 1) A new prescription or visit is being entered 2) When scrolling through the prescriptions, only the ones with today's date will have a tick (unless it is a trial type)	Bug
FOC-2784	CL Refraction	When in the CL examination screen within the CL Rx module, the user has the ability to copy previous CL exam information. In previous versions it would only copy through the Conclusion and Outcome. It will now copy through the History / Medication from the selected previous visit. If the previous visit is a converted record then it will copy through from the history and symptoms field under the contact lenses tab.	Enhancement
FOC-2103	Central Maintenance	In a multi practice (Central Maintenance) system, the Jobs screen was showing pending jobs from all practices	Bug

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
FOC-2239	Central Maintenance	The correct password for logging into Central Maintenance was not being recognised. Users will need to be added to Oracle by the Ocuco support team for this to work.	Bug
FOC-2670	Central Maintenance	There was a menu item which was not required in Central Maintenance	Bug
FOC-1070	Clinical Records	The Lense Condition / Fit text field has been increased in the size. This lead to the Horizontal Visible Iris Diameter and The Vertical Palpebral Aperture text fields decreasing in size.	Enhancement
FOC-1073	Clinical Records	In the Clinical version, the 'Conclusion' label in CL Examination TAB of the CL Rx screen, has been changed to 'Conclusion / Outcome'.	Enhancement
FOC-1540	Clinical Records	If a patient alert was added for a patient in the Clinical History Notes screen, then subsequent patient alerts would not display	Bug
FOC-1758	Clinical Records	Ture pressure field has now been removed from the Eye pressures screen, in Clinical version. The True pressure total was incorrectly calculating, causing confusion to the users.	Enhancement
FOC-1880	Clinical Records	The copy trial function in the contact lens prescription screen has been enhanced so that if any contact lens product that is flagged in the stock/catalogue module as a trial lens is copied to the prescription screen will be automatically swapped out for a revenue lens if there is a match based on the specifications of the trial. If more then one match is found then specification is copied to the prescription screen and the product selection is left blank	Enhancement
FOC-1923	Clinical Records	Clinical checklists would not copy from a previous visit if data has been entered today.	Bug
FOC-2172	Clinical Records	When copying Clinical and Contact Lens Examination details from a previous visit, all visits are now displayed in date order. This means that a converted visit can also be copied even when a Focus2 visit exists.	Enhancement
FOC-2173	Clinical Records	Working Distance values in the subjective prescription were not saving consistently. Also when using the "copy previous" button, Working Distance values in the subjective prescription did not copy through consistently.	Bug
FOC-2192	Clinical Records	The visit types in the handover screen did not reflect the visit types in the prescription screens	Enhancement
FOC-2193	Clinical Records	Clinical Only: The visit types in the handover screen did not reflect the visit types in the prescription screens, The 'visit type' buttons in the handover screen have changed to a drop-down pick list, and correctly now reflect if the user is creating a handover for a contact lens or spectacle visit.	Enhancement
FOC-2267	Clinical Records	The History Notes tab in Clinical Exams module contained a tool bar with unnecessary buttons.	Bug
FOC-2278	Clinical Records	The double click functionality was not available on the CL examination converted record graphics.	Enhancement
FOC-2280	Clinical	Converted records in the Clinical Examination module had no navigation	Bug

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
	Records	buttons.	
FOC-2378	Clinical Records	Referral letters were missing the Professionals bookmarks	Enhancement
FOC-2407	Clinical Records	New behaviour for the Insert and Visit buttons was implemented for Focus Clinical systems only:- If there is a contact lens visit for today then the Visit button will show a tick otherwise the button will remain as usual. When the Visit button is pressed, the icon will change to the tick. When the Insert button is pressed and there is no contact lens visit for today, a message will come up advising that the user is are working on an old visit. The user can choose to continue or not. This will continue to work even if the patient had a contact lens visit created earlier today and then the user goes back to the contact lens Rx screen.	Enhancement
FOC-2416	Clinical Records	If a patient had no contact lens prescriptions or trial, then a dispense could still be performed. This is no longer allowed.	Enhancement
FOC-2441	Clinical Records	The Prescription button in the handover screen was too narrow to display the caption fully	Bug
FOC-2485	Clinical Records	Clinical only: The 'Optician' field in the 'Basic Rx' page is linked to the 'Test By' field in the 'RX Given' page. If the 'Test By' field in the 'Rx Given' page is changed then the 'Optician' field in the 'Basic RX' page will change and vice versa.	Bug
FOC-2532	Clinical Records	Clinical only: Visit Type has been added to the Handover Summary report and to the Contact Lens Handover report.	Enhancement
FOC-2534	Clinical Records	The handover screen will now auto-switch to the correct tab (specs or contact lenses) depending on which type of visit is current being displayed	Enhancement
FOC-2537	Clinical Records	The Handover module font size has been reduced.	Enhancement
FOC-2727	Clinical Records	On the Clinical Check Lists, in the History module, on the Patient record, it is possible to set default values to auto-populate when 'N' is selected. However this did not overwrite existing data if the 'N' was selected on a checklist related to an old visit. This also produced an error message stating the data set was not in edit mode.	Bug
FOC-489	Clinical Records	The previous Rx grid on the Clinical Rx Summary tab now has filtering available. Options are:- 1) Display both types 2) Display Rx types only 3) Display Lens Meter types only	Enhancement
FOC-496	Clinical Records	The Clinical Exam screen was not always remembering the last tab accessed for a patient if it was a checklists type tab.	Bug
FOC-2022	Clinical records	On the Clinical Spectacle Rx Summary tab, if there is more information available about muscle balance then a button is displayed on the toolbar. Pressing this button will take the user straight to the muscle balance tab in the Clinical Exams screen.	Enhancement
FOC-2025	Clinical records	The Right and Left Pinhole results, found in the Rx Subjective screen	Enhancement

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
		were required as a merge fields in the Letter Templates, therefore the RX Subjective bookmark list has been added to the bookmark category list in the right hand side of the Letter Maintenance screen. The "Right Dist Acuity Pinhole" and the "Left Dist Acuity Pinhole" bookmarks have been added to the RX Subjective bookmark list. Additionally all the bookmark lists was sorted alphabetically.	
FOC-2324	Configuration	There was an error when creating a new staff member.	Bug
FOC-2411	Configuration	The "About Focus" form found in the configuration module contained an incorrect label, which was removed.	Bug
FOC-2421	Configuration	In a multi practice system, the Staff Maintenance screen was showing staff members from all practices. The local office version (Focus) now only shows the relevant staff members for the practice that is logged in. The head office application (Central Maintenance) still shows staff members for all practices, but can be filtered for each individual practice.	Enhancement
FOC-1673	Diary	There was a problem displaying the diary dates in the Diary Config screen. If clinic dates had been set up for a few months in the future, they were not always displaying properly when viewed in the calendar displays of the Diary Configuration screen.	Bug
FOC-2071	Diary	If a database has no diaries set up (usually a newly converted database) an error occurred when trying to load the diary configuration screen.	Bug
FOC-2150	Diary	The green colour of the arrived status in the diary was too light for some screens so the arrived colour has been changed to a darker green	Enhancement
FOC-2199	Diary	Web Bookings History tab contained truncated labels.	Bug
FOC-2268	Diary	Cut / Copy and Paste functionality within the Diary module caused a appointments to be created with invalid practice IDs.	Bug
FOC-2379	Diary	In the Optom Mode of the diary a new column was added to indicate that an SMS has been sent to the patient about that appointment. The SMS can also be viewed by clicking in the status column.	Bug
FOC-2505	Diary	In the Diary Screen, the width of the column 'From', which shows the time of the appointment, was slightly increased to improve the Multi Diary display.	Bug
FOC-2606	Diary	Intermittently the diary would not let the user insert an appointment slot at the end of a clinic. An erroneous message would display saying that appointment slots must not overlap	Bug
FOC-2608	Diary	An error would occur in the diary if a cut and paste of an appointment was done prior to a patient search being used elsewhere in Focus2	Bug
FOC-2834	Diary	In the Diary, the Patient's Appointment (find next appointment) button was not working. When the button is select now, the patient next appointment, and any consecutive appointments after will now be located.	Bug
FOC-788	Diary	The search by date of birth facility in the diary 'new appointment' dialog was not formatting the date properly.	Bug
FOC-2482	Dispensing	The quantity button was removed from Review Sales tab in Dispensing / Sales module.	Bug
FOC-1475	Dispensing	It is now possible to sell a frame in the walk-in till screen	Enhancement
FOC-1547	Dispensing	When lens adjustment were made while dispensing specs, the VAT calculations were incorrect in VAT receipts. This is when VAT calculation is configured to be SDC.	Bug
FOC-1548	Dispensing	On Occasions the Previous Dispenses screen would only show a few previous dispenses.	Bug

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
FOC-1559	Dispensing	It is now possible to sell a Consumables type product using the Other button in the Dispense/Sales screen	Enhancement
FOC-1614	Dispensing	Occasionally in spectacle dispensing, if a frame code was typed in and return was pressed, the frame code would go missing after selecting lenses. The frame selection drop down now filters the list as the user is typing the code.	Bug
FOC-1632	Dispensing	When selecting "No Order" as order type in the fulfilment screen, the newly created dispense will be auto-collected.	Enhancement
FOC-1644	Dispensing	If a split pair was dispensed in spectacle dispensing and a lens selection was changed, the other lens selected would be lost. The lens selection combos have now been made read-only if a lens has already been selected and to change the lens selection the eraser button must be used	Bug
FOC-1957	Dispensing	In a spectacle dispense, if the total amount was covered completely by discounts and benefits, the amount apportioned to the benefit could sometimes be wrong and therefore cause a mismatch in the ZZ Report. The benefit also used to apportion to the frame element first and that has now changed to the following order to pay elements of the dispense:- 1) Lenses (split 50/50 when appropriate) 2) Frame 3) Extras	Bug
FOC-2069	Dispensing	When performing an exchange involving a pair of spectacles, the new pair of spectacles was not showing up in the Dispense Fulfilment screen	Bug
FOC-2111	Dispensing	In the New Dispense screen, the users were unable to override the price of prescription sunglass dispenses as the override button was disabled.	Enhancement
FOC-2181	Dispensing	In the dispensing module, if no glazing charge existed when saving a partial spectacle dispense, an error would occur.	Bug
FOC-2229	Dispensing	Due to different types of DD/BACS payments, inconsistencies may appear in the account balance where a patient paid partly by DD/BACS and partly with another tender type on converted records.	Bug
FOC-2235	Dispensing	The dispense fulfilment screen was listing each item to be ordered multiple times for Accessories/solutions etc.	Bug
FOC-2237	Dispensing	There was a 'dataset closed' error when the Dispense button was pressed in the contact lens Rx screen in a clinical system	Bug
FOC-2349	Dispensing	If a 2nd spectacle dispense (of two or more) was discarded from the spectacle dispense screen in edit mode, the wrong dispense group was deleted. This caused the first dispense to lose the group information	Bug
FOC-2422	Dispensing	Tint and Coat validation was not being applied on jobs, where a left lens only had been dispensed.	Bug
FOC-2464	Dispensing	In the spectacle dispense screen, if a dispense was changed from a spectacle type to a sunglasses type, then the group numbering was sometimes wrong	Bug
FOC-2473	Dispensing	When using the Search Options page to search for frames, sunglasses and lenses, users can use the five drop down menus to filter the result to a specific type, manufacturer, range, model and material. However there was no filter in any of the drop downs, so the user always got a long list of all types, manufacturers, ranges, models and materials in the application. A filter has been added to each of the drop down menu, so that only relevant results will be displayed in the drop down menu.	Bug

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
FOC-2644	Dispensing	Clinical Only. The ability to dispense from the the Refraction screen has been removed for converted Rx records.	Bug
FOC-2114	External Links	The application has the facility to export financial detail in a format that can be imported into the Sage accountancy software package. The Sage Extract now excludes Write-Off tender types to match the ZZ Report. This is only applicable when the VAT setup is configured to use 'Cash Accounting'.	Bug
FOC-2112	GOS Forms	England Only: The Examiners name (Performers name) has been added to the GOS 2 form and on the form it is located above Practice Details. Affected GOS 2 form versions are Jul 08, Jun 05 and Oct 08.	Enhancement
FOC-1922	GOS forms	The prescription was not always being printed on the GOS2 form.	Bug
FOC-1866	General	It was possible to click on the toolbar buttons when the Home Screen was displayed	Bug
FOC-2263	General	The main button tool-bar on the left hand side of the application was changed to ensure all the buttons are the same size when mouse cursor is pointed at them. Handover and Notes buttons were smaller than others.	Bug
FOC-538	Imaging	Pin entry has been removed from the Imaging screen	Enhancement
FOC-1542	Letters	There was a minor cosmetic issue in the clinical version of the application in the letters section, where the very bottom edge of the letter recipient drop down box (the 'professional' selection) was not visible.	Bug
FOC-1543	Letters	The application can be configured so that the letter editor can be used within the referrals area in a "non-modal" mode. In other words, the user does not have to close the letter editor to use the rest of the application, which in turn then allows for the user to review various screens on the patient's file if they wish to use what has been written in their record as part of the content of the letter. When using this mode, the letter editor is automatically closed when you change patient. As part of that automatic closure, there are validation messages in place such as the warning about the body of the letter containing bookmarks (which would indicate that the user may have forgotten to perform the merge function). For some of those messages the user is asked to confirm if they wish to continue with the closure anyway. If they say no, the system has now been changed to automatically switch to displaying the letter editor screen. Previous versions meant the user had to select it themselves.	Enhancement
FOC-1544	Letters	The letter editor screen was being opened in a non-modal fashion, thus allowing the user to use the rest of the application while the letter editor was still open in the background. This was causing problems when the user changed patient with an open letter, in that when eventually the letter was saved, it was overwriting the letter of the current patient with that of the original. This has now been corrected in that (a) the application now respects a configuration option which determines whether the editor screen is to be used modally or non-modally, with modal being the typical mode and the default which forces the user to close and save the letter before being allowed to navigate the rest of the system. And (b) where the letter editor is being used in the non-modal form, then the editor is automatically closed and the letter saved when the user changes patient.	Bug
FOC-1719	Letters	In the letter template editor screen, the buttons which add specific bookmarks for Date, Time and Notes have been moved off the formatting toolbar and over to where the rest of the bookmarks are selected. This is	Enhancement

VERSION CONTENTS REPORT

VERSION : 2.0.14.1

RELEASED : 06/10/2015

REF	MODULE	DESCRIPTION	TYPE
		partly to do with consistency and they are more suited to be kept with the other bookmarks, and also so that they are available when integrated with MS Word which uses its own formatting toolbar.	
FOC-1768	Letters	The message to inform the user that there is a duplicate BACS reference has been modified from a blocking message to a do you want to continue message.	Bug
FOC-1769	Letters	In the letter template editor, depending on the type of template being edited, on saving the template using either the Save or Save As a message will be displayed if the template does not contain any bookmarks. However, the text of the message asked the user if they wished to continue or not, but only provided an OK button. The text of the message has now been changed to not ask for a confirmation, because it is invalid to save the template without any bookmarks.	Bug
FOC-1821	Letters	In the letter maintenance screen, when a user selected a template, pressed Merge Details button first followed by Undo Merge button, an error message "Field 'MARGIN_LEFT' not found" would pop up if the user tried to preview the letter.	Bug
FOC-1823	Letters	The query and recall modules both had the ability for the user to add a "PS" note to the end of the letters generated. This was just automatically added as the last text at the end of the letter. This has now been changed so that the bookmark of "<<PS>>" can be added to the body of the template itself and therefore allow for a more controlled positioning of where that note would be placed in the end letter.	Enhancement
FOC-1825	Letters	The application permits the user to set up templates and for these to be merged during the printing of recalls and query letters. Also available within the printing options is the facility to produce labels, typically for name/address labels to be used when mailing the letters. The text printed for labels was simple text, unformatted. This has now been changed so as to allow for formatting to be used and respected when printing (font sizes and styles, bold, etc.).	Enhancement
FOC-2078	Letters	The letter templates provides a facility whereby single or double braces can be used in order to indicate a section of the template which will have blank lines removed, typically for enclosing address line bookmarks. However, when integrated with MS Word, only one instance of these braces was being checked for, so if there were two or more sections enclosed in braces, the merge only did the first one.	Bug
FOC-2333	Letters	When using MS word as the the letter editor, under some conditions, bookmarks could be incorrectly formatted and cause issues when printing or previewing letters.	Bug
FOC-2458	Letters	Adhoc label and Address Label margin set up measurements were in Inches and not in millimetres. If margins have been changed in Page Setup then the template must be saved before the changes are applied to the template.	Bug
FOC-1556	Maintenance	On the GP maintenance screen, users were not able to sort records. The grid was modified on the Maintenance form to sort records by column which is triggered by clicking on the column header.	Bug
FOC-2315	Marketing	The marketing screen has been enhanced to allow the exporting of a results preview to Excel without requiring a practice logo.	Bug
FOC-2350	Marketing	In the Marketing Analysis module it is possible to export the results in a spread sheet format. The Full Name column was removed and Title, First Name and Last Name columns were added to the export file for easier data manipulation.	Enhancement

VERSION CONTENTS REPORT

VERSION : 2.0.14.1

RELEASED : 06/10/2015

REF	MODULE	DESCRIPTION	TYPE
FOC-2409	Marketing	In the Query/Marketing module, an error was occurring when "No Dups" button was pressed after a grid column was sorted.	Bug
FOC-2410	Marketing	In the Query/Marketing module "Export" was not working after "No Dups" button was pressed.	Bug
FOC-2509	Marketing	In the Query/Marketing module the record counter was not updating after the "No Dups" button was pressed.	Bug
FOC-1735	Ordering	Scan Orders filter has been added to Orders module. Users can scan or enter tray number, lab reference, order, group or dispense reference.	Enhancement
FOC-1942	Ordering	In the send to till (otherwise known as the order fulfillment) screen, the user has the choice as to the type of order(s) to be created for lab jobs. One of those options is that they want to order Frames & Lenses, i.e. independent orders for the frame and lenses, rather than one order for the complete pair. Where that option was selected, the application correctly created two orders, but the frame order incorrectly also included the lenses. It would not have made much actual difference in reality, as the order report would still have only printed the frame, but it was misleading and confusing for the user reviewing it in the orders module.	Bug
FOC-1963	Ordering	In the stock orders screen, it was only possible to order stock contact lenses. This has now been changed so that catalog products can also be ordered. A new section has been added at the bottom of the stock order creation screen such that when you are on a contact lens product, it will display and allow you to enter the 6 main specification parameters (Base, Diameter, Power, Cylinder, Axis and Add). Having selected a stock product, these should be auto-filled by the parameters of the stock lens, and when a catalog lens is selected, the boxes can be entered by the user to indicate what it is they want to order.	Enhancement
FOC-2238	Ordering	An error occurred if notes were added to an Other type sale of Contact Lenses in the jobs screen. Notes are not applicable to the order group type of 'Other' so the field has been made read-only	Bug
FOC-2430	Ordering	The SMS button was not available on the "Inform customer" or on the "To Be Collected" tabs in Patient jobs.	Bug
FOC-2451	Ordering	In the stock orders module, when user creates a stock return for an item, the On Order quantity for this item would incorrectly increment this quantity if the quantity was already zero before the order was created. This is incorrect since the item was to be returned to the supplier.	Bug
FOC-2461	Ordering	In the jobs screen it was not possible to progress consumable type orders	Bug
FOC-2477	Ordering	In multi practice systems, the jobs screen was displaying jobs from all practices	Bug
FOC-420	Ordering	The Jobs button now indicates if there are jobs needing attention in the jobs screen for that patient	Enhancement
FOC-790	Ordering	The view/edit button has been removed from the jobs screen for any jobs that are not spectacle or contact lens dispenses	Bug
FOC-1878	Packs	Pack Maintenance screen has been changed to allow category selection.	Enhancement
FOC-1387	Patient	The application displays a patient summary panel at the top of the screen, under the menu bar, when on any of the patient related main screens (prescriptions, clinical records, sales, etc..). That panel contained the name and ID of the patient, their DOB and account balance. This has now been re-formatted and expanded to include the	Enhancement

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
		<p>most recent prescription for the patient. For non-clinical records implementations, this is the most recent Rx Given. For clinical records enabled systems, this can be configured to be either the most recent subjective or given rx depending on the preference of the practice.</p>	
FOC-2306	Patient	Searching by Date Of Birth in the patient screen and in the diary new appointment dialog was retrieving patients for all practices in a multi-practice system	Bug
FOC-1740	Patients	In the patient screen, double clicking on either the GP or Specialist drop downs was listing all professionals, instead of only those configured to be in those specific lists.	Bug
FOC-2058	Patients	Occasionally the home telephone number was being overtyped in the patient screen. The cause of this was the cursor going to the home telephone field unexpectedly and the user believing they were typing in another field. This was happening when postcode lookup was enabled, the postcode field was populated and the user pressed return in the first address line. To prevent this happening in the future the cursor will only go from the first address line to the home telephone field if that home telephone field is empty	Enhancement
FOC-2076	Patients	In a Central Maintenance system when creating a new patient, the check to see if the patient already exists was not referring to the Practice ID, which meant both practice data was being checked.	Bug
FOC-1311	Payment and Supply Manager	When adding items to a mandate users were getting inappropriate messages if no item was selected.	Bug
FOC-1909	Payment and Supply Manager	While creating a payment in the Payment and Supply Manager module it was possible for them to change module or click on some of the other action buttons which resulted in errors displayed on the screen.	Bug
FOC-1947	Payment and Supply Manager	The patient mandate was not always showing the patients full address	Bug
FOC-2436	Payment and Supply Manager	The navigation in and out of the patient mandates screen in the PASM module has been improved such that the on screen controls are being correctly disabled when no patient is selected.	Enhancement
FOC-2453	Payment and Supply Manager	It was possible to have letters in the correspondence queue in the Payments and Supply Manager. This was made possible by creating a mandate and entering the letters module and then subsequently cancelling the mandate.	Bug
FOC-1519	Payments and Supplier Manager	A warning message has been added in the patient mandate screen when user tries to change the bank or branch information for a patient.	Enhancement
FOC-1123	Payments and Supply Manager	It is now possible to refund dispatched goods from the Disp/Sales screen. Previously, if the user tried to return or exchange a dispatch, the PASM history would not be affected. Also, there is now a prompt which allows the user to see the PASM account history prior to doing a return or an exchange. If a patient is not owed anything, the return can be written off. Please note that the user is strongly advised to check the patient's account history prior to a dispatch return as this will effect both the patient balance and the PASM account balance.	Bug
FOC-130	Payments and	When viewing a patient account in the patient Mandates screen in	Bug

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
	Supply Manager	PASM, the current balance now takes adjustments into account.	
FOC-149	Payments and Supply Manager	<p>A problem with rejections has been found. The new system does not write a rejection record unless it is marked as "Pay through other means" in which case, also, a Direct Debit statement is added to balance.</p> <p>If the payment is added to the next BACS, instead, no rejection transaction is written and the amount paid is added to the next payment, to salvage the extra amount.</p> <p>Last, if the arrears box is amended, a message will come up asking whether the amendment was voluntary.</p>	Bug
FOC-1568	Payments and Supply Manager	<p>When utilising PASM Standing Orders, the user could not set today's date as the day of the run.</p> <p>This prevented the user from being able to see only today's worth of Standing Orders and obliged the user to keep a few runs opened across the month because the due payments were scattered across multiple runs.</p>	Enhancement
FOC-1569	Payments and Supply Manager	<p>When configuring PASM, the following things were happening:</p> <ol style="list-style-type: none"> 1) It was impossible for the user to change the practice's sort code and account number for Standing Orders 2) If you made a change in both of the two Direct Debit related tabs, only the changes made to the currently selected tab were saving. This is still so for some options but not all. The ones that needed to validate and save regardless of the page are: <ul style="list-style-type: none"> - The type used for Direct Debit (which is used when dispatching items) - The directory where the BACS and AUDDIS file are written to - The sort code and account number if available - The default CL type 	Bug
FOC-1752	Payments and Supply Manager	The Discounts dropdown box in the PASM add items dialog screen was not listing any discounts.	Bug
FOC-1876	Payments and Supply Manager	The total price was calculated incorrectly when choosing to dispense contact lenses for both eyes on the patient mandate screen. The total price calculation has been modified to reflect the price for two lenses and not for one lens only.	Bug
FOC-2003	Payments and Supply Manager	The Eazipay rule is that a new payer's information needs to be on the system for at least five working days before the user can make a collection. In order to allow this the application was to manipulate the 'Next Payment Date' and ensure that there was ten days (excluding the weekends) from the BACS run date. However this was working in a way that an extra ten days get added to the Next Payment Date of all the mandate records at the time of running the BACS. This has been reviewed and changed so that the Next Payment Date is now manipulated for new mandates only, ensuring that at least there is six days (excluding the weekends) from the day of AUDDIS submission.	Bug
FOC-2090	Payments and Supply Manager	In the PASM module, rejecting the first non credit sale payment automatically suspended the supply of goods. Suspending of the supply should be done manually by the user.	Bug
FOC-2092	Payments and Supply	The PASM Dispatch Report has been altered to use the price at which	Bug

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
FOC-2146	Manager Payments and Supply Manager	the items were supplied at rather than the current price of the items. The PASM module facilitates the Payment Collection. Within that screen the user has the option to Run Bacs with the default date set to 8 days from the current day but the user was not allowed to change the date as it could result in payment being rejected. This was changed to allow the user set their own date at their own risk. If the user changes the Run date the Information message will be displayed stating "This 'run' date is very close to todays date, this could result in payment being rejected. Are you sure you wish to continue?" If the user selects option 'Yes' then the date will be changed, otherwise it will be changed back to the default. If the user selected past date then Information message will be displayed stating "Past dates are not permitted." If the date has been removed and the field has been left blank, the application will always set it back to the default value. Once the application is closed the date will be reset back to the default value which is 8 days from the current date.	Bug
FOC-2165	Payments and Supply Manager	An error occurred when selecting to go to a patient record from the Todo list in the PASM module.	Bug
FOC-2224	Payments and Supply Manager	When selecting the record, the text within the payment record has been changed to black, instead of the original white, to make it easier to read against the yellow highlight.	Bug
FOC-2234	Payments and Supply Manager	The PASM module facilitates the Payment Collection. Within that screen the user has the option to Run Bacs and if the previous Bacs file exists then the information message will state "Are you sure you wish to overwrite the previous BACS file?" If there are more than one company and the user selects option 'No' then the message will be displayed for each company. This should not be the case and this has been changed to display only one message.	Enhancement
FOC-229	Payments and Supply Manager	The create mandate button has been removed from the outstanding sales screen, it was superfluous there is a Goto Mandate button.	Bug
FOC-1714	Payments and Supply Manager	The Account Name in Payments and Supply Manager only allowed a maximum of 18 characters. The Patient Mandate Screen was modified to allow Account Name entry up to 30 characters as defined in the database.	Bug
FOC-1809	Recall	Using the letter editor, merging an individual letter when the Letter button is pressed in the View Results tab of Recall is causing the screen to flicker, but the letter does not appear.	Bug
FOC-1927	Recall	Where a recall scheme has a 0 month duration, no Due Date is calculated.	Bug
FOC-2096	Recall	In the Recall print letters screen the Parameters group box has been expanded to ensure all the parameter labels can be clearly seen.	Bug
FOC-2397	Recall	In a multi practice system the recall history grid was showing history from all practices	Bug
FOC-2525	Recall	When a recall selection was done for multiple recall types, the undo recall function didn't always work correctly	Bug
FOC-2569	Recall	Within the Recall Scheme configuration module, the user could not add a new letter sequence to already existing Recall schema when not in the first age group.	Bug
FOC-1739	Referrals	In Referrals screen, when the referrals edit screen is invoked, the application automatically associates the selected GP/Professional with	Bug

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
		the referral letter being edited. However, if the edit screen was invoked from Referrals-In tab, the application was incorrectly associating the letter to the professional selected in Referrals-Out tab.	
FOC-1018	Refraction	The Subjective Findings field has been widened on the Clinical Rx Summary screen	Enhancement
FOC-1120	Refraction	There have been a number of improvements made to the speed in which the user can navigate around patients refraction records.	Enhancement
FOC-1242	Refraction	A new contact lens prescription screen has been added for Clinical Records systems. The new refraction screen matches the Trials screen in design.	Enhancement
		A new contact lens screen and a new trials screen has been added for Dispensing systems without Clinical Records.	
FOC-1738	Refraction	It was a possible to insert or modify Prescription information from the Refraction screen for an old visit by accident. Users are now prompted with a message when modifying old visit information.	Bug
FOC-2028	Refraction	If there are previous spectacle or contact lens prescription records for a patient, the button images will change to indicate this.	Enhancement
FOC-2226	Refraction	In clinical systems it was not possible to handover a visit that was in the past.	Bug
FOC-2423	Refraction	An issue with the way the application saved contact lens prescription changes when done using the cursor keys has been resolved	Bug
FOC-2424	Refraction	When users navigated between the Eye Pressure page and other pages, it was possible that the Eye Pressure page would be left open beneath another page. Then when users came back to the Eye Pressure page, they would notice an error message "Please enter a valid date". This is due to an incorrect validation process going on in the background. This validation has been removed.	Bug
FOC-2433	Refraction	In the non-clinical, non-validated dispense version of the contact lens prescription screen, when printing or previewing a record card using a custom template, the application would always print the very latest prescription	Bug
FOC-2438	Refraction	A "Field value required" error was occurring when attempting to add a new diagnosis or finding in the conclusion or handover diagnoses screens.	Bug
FOC-2475	Refraction	In clinical, if a user with a low level security entered the spectacle prescription screen, the Basic Rx tab would remain read-only for all users.	Bug
FOC-2497	Refraction	Non Clinical: The Outcome field in Rx was validated when the user moved away from the outcome field. This has been improved to validate the field when the user moves to another module.	Bug
FOC-2616	Refraction	The application would not allow a different test type and outcome if more than one Rx was created for the same patient on the same day.	Bug
FOC-504	Refraction	In the RX Retinoscopy Result screen the Retinoscopy label was not fully displayed.	Bug
FOC-1241	Reports	The diary capacity report was not taking blockouts into consideration when reporting the number of appointment slots available.	Enhancement
FOC-1558	Reports	When running the "Optometrist Outcome" report in the "Branch Control" section, the In-House Non clinic section (at the bottom of the report, outside the main report area) was not excluding deleted visits for non clinical records customers.	Bug

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
		<p>For clinical records customers with converted visits, they will be included regardless of their status to allow the dispenses to be included. The Clinic Dispense Report was showing the wrong name for the Optician column.</p> <p>Clinic Dispense, Non-Clinic Dispense and Optometrist Outcome reports were all showing dispenses that had not been taken to the till yet, this was incorrect and only dispenses that have been taken to the till will now be shown in the reports.</p>	
FOC-1589	Reports	The diary capacity report was not taking 'ad-hoc' appointments into consideration when reporting on the number of appointment slots available.	Enhancement
FOC-1666	Reports	The PASM Dispatch List report can be grouped by Item Name or Patient.	Enhancement
FOC-1711	Reports	<p>In any of the report preview screens the user has the option to export the content of the report to Excel. Some improvements have been made in the content of the resultant export, namely:</p> <ul style="list-style-type: none"> - Removal of page headers and footers to avoid them being repeated throughout the exported data - Better alignments of the output columns so as to avoid columnar data from moving between columns - Removal of blank lines and blank columns 	Enhancement
FOC-1712	Reports	The Items sales report can be printed to sum the quantity of sales for each product. However, it was summing this based on product name only. So, if there were two products of the same name but different barcodes (like two frames being the same but in different colours for example) then it was being reported as one sum of both products rather than each one being listed separately.	Bug
FOC-1824	Reports	Late discounts were not being correctly recorded on the VAT Breakdown Summary Report and also the Sales Breakdown Report.	Bug
FOC-2155	Reports	It is now possible to select individual items for the Item Movement report	Enhancement
FOC-2190	Reports	The Optometrist Outcome report did not include patients who had an Rx visit but had no transactions made. The Optometrist Outcome report can be found in the Branch Control report group.	Enhancement
FOC-2194	Reports	The Optometrist Outcome report now shows the number of dispensings per patient visit rather than just showing 'Yes'	Enhancement
FOC-2195	Reports	The Optom Outcome, Clinic Dispensing, and Non Clinic Dispensing reports, all of which are available under Branch Control, now remember the parameter 'X number of days' when switching between the reports.	Enhancement
FOC-2246	Reports	The NHS overpayments and underpayments were being printed for all practices in a multi-practice (Central Maintenance) system on the ZZ report.	Bug
FOC-2296	Reports	The benefit tracking report now defaults to grouping and ordering by benefit type rather than by staff member. It is still possible to select grouping by staff member if required.	Enhancement
FOC-2316	Reports	On the Diary Analysis report, the overall total field and the Optom total field were not showing enough digits,	Bug
FOC-2330	Reports	When a category is selected the Stock Listing report was not limited to showing only items relating to the specified category.	Bug
FOC-2338	Reports	The dispensing days (commonly known as X-Factor Days) value has been added to the report headings for the following reports:- Optometrist Outcome Clinic Dispenses	Enhancement

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
		Non-Clinic Dispenes	
FOC-2408	Reports	When running the cashbook report for Day and group by Tender Type, the date against each individual payment line was not showing correctly.	Bug
FOC-2427	Reports	A detailed version of the Contact Lens Visit Analysis report has been created and can be found under the Diary Analysis section in the Reports module. This shows all the contact lens prescriptions, listed by date along with the patient name, ID, and fitting type.	Enhancement
FOC-2428	Reports	The detailed ZZ Report was not showing the full patient ID if the ID was a large number	Bug
FOC-2455	Reports	When a cheque was written-off from the Cheque Management module, the write-off record was not linked to the patient payment record, which resulted in the write-off not visible in the End Of Day report.	Bug
FOC-2489	Reports	The Over / Under payment screen within the NHS / Corporate Tracking module now allows positive and negative values.	Enhancement
FOC-2499	Reports	The Sales Breakdown Report on preview displayed dates in the incorrect order.	Bug
FOC-2500	Reports	The Z-Report and the Sales Reconciliation report were including returns processed as a prepayment. There was no corresponding account payment to signify this and therefore the report did not balance.	Bug
FOC-2572	Reports	If the first sale in the current logged in Focus 2 session was a Walkin sale, then that sale would not appear on the ZZ report.	Bug
FOC-2620	Reports	Voiding a return payment resulted in an imbalance in the till reports and the Z-Report.	Bug
FOC-2623	Reports	The Optom Outcome report provides an option to limit the reporting to a particular staff member. However when the users selected a staff member, the report was not behaving as expected.	Bug
FOC-2647	Reports	The examiners selection drop down on the reports screen was only listing a few staff members	Bug
FOC-2657	Reports	The List Transaction report, found in the Branch Control report group, was displaying return benefits as positive.	Bug
FOC-2685	Reports	Clinic Dispensing and Non Clinic dispensing reports are no longer active for Entry Level customers as these reports are not relevant for users without dispensing.	Enhancement
FOC-549	Reports	If the user has configured templates for spectacles and contact lens prescription reports these will now print from the prescription button in the handover module.	Enhancement
FOC-746	Reports	The Sales Reconciliation report now shows Eyecare vouchers	Bug
FOC-1428	SMS	In the ad-hoc send email and SMS screens, the list of letter templates was not being shown in alphabetical order.	Bug
FOC-1959	SMS	Previously users could only send formatted texts in the email content. Embedded images were not recognised by the mailing system when emails were sent to patients. The old component has been replaced so now users can send emails with embedded images in the message content.	Enhancement
FOC-2469	SMS	In a multi practice system, the SMS Management screen was showing details for all practices	Enhancement
FOC-1628	Stock	A new feature has been added to the Stock Maintenance screen to allow the user to view Stock Movements for the selected product	Enhancement
FOC-1710	Stock	In Uplift Maintenance there is a new check box to allow for the use of the Gross Cost instead of the Cost Price for calculating the total item	Enhancement

VERSION CONTENTS REPORT

VERSION : 2.0.14.1

RELEASED : 06/10/2015

REF	MODULE	DESCRIPTION	TYPE
		price. If the check box is left unchecked then the Cost Price is used for the calculations.	
		The Gross Cost is not available in all modules such as the Stock Module at this time. In these cases where there is no Gross Cost option, then the Cost Price will be used by default even if the check box is checked to use the Gross Cost.	
		The Gross Cost is not directly related to any of the other prices, i.e. it does not include VAT or Fee % / price etc. The Gross Cost is the Vendors advertised cost for a specific product.	
		Note that the Gross Cost will be zero in most cases (where applicable) as it is a new feature..	
FOC-1713	Stock	Stock orders screen was not showing orders older than 3 months.	Bug
FOC-1924	Stock	When creating a frame template without any quantities, duplicate frames were appearing	Bug
FOC-2097	Stock	EAN-8 barcoding is now available in Central Maintenance.	Bug
FOC-2425	Stock	The uplift maintenance provides the user with the facility to choose rounding options, to adjust the output of the calculation to round the retail price up or down to a specified decimal or integer value (round to the nearest 0.5 or round to the nearest 10, for example). The round up was working correctly, but the round down would not always give the correct answer. For example, a retail price of 106.25 rounded down to the nearest 10 was actually rounding to 90 instead of 100.	Bug
FOC-2426	Stock	The catalog maintenance lens sphere and cylinder ranges labels and min/max entry boxes have been changed to try and make them more understandable. Originally the application had min and max, which has now been changed to From and To. Plus there were labels on-screen which were an attempt at explaining an example of what should be populated, but these were more confusing than helpful and have been removed. And the max values were originally on top and the min below, and these have been switched around.	Enhancement
FOC-2429	Stock	In the Stock Order module, current quantity of stock items was displayed incorrectly, which led to misleading information on current quantity of stocked items in the practice.	Bug
FOC-2518	Stock	The stock item movements grid within the Stocked Product module was optimised to remove the horizontal scrollbar. The New Patient name and PID columns were added to the grid.	Enhancement
FOC-2787	Stock	The Stock Products screen was opening up on the Templates tab rather than the Items tab	Bug
FOC-1051	Till	A new Cheque Management screen has been added to the Back Office menu for Till systems.	Enhancement
FOC-1192	Till	Using this screen, it is now possible to deal with bounced cheques When lens adjustment were made while dispensing specs, the VAT calculations were incorrect in VAT receipts. This is when VAT calculation is configured to be SDC.	Bug
FOC-1683	Till	Fix on re-instating the prepayment amount after the cancellation of a sale containing prepayment from different patient account.	Enhancement
FOC-1737	Till	Write Off button did not appear at the till screen.	Bug
FOC-2452	Till	The sales cancellation process in the application has been expanded to	Enhancement

VERSION CONTENTS REPORT

VERSION :

2.0.14.1

RELEASED :

06/10/2015

REF	MODULE	DESCRIPTION	TYPE
FOC-2650	Web Diary	handle the cancellation of sales which have been tendered off in part or fully by an account prepayment, such that the prepaid amount is reinstated back onto the patient account. The Discard Patient option in the Web Matching screen was not removing the appointment that had been booked for this patient	Bug

VERSION CONTENTS REPORT

VERSION :

2.0.14.2

RELEASED :

03/03/17

REF	MODULE	DESCRIPTION	TYPE
FOC-2906	Banking	The Reconcile Bank Deposit screen occasionally gave a false error message 'Please select the reason for the discrepancy' when there was not an actual discrepancy	Bug
FOC-3056	CL Refraction	An incorrect manufacturer was appearing on Contact Lens Prescription in 'CL Rx' module when 'Copy Previous' button was used.	Bug
FOC-3080	Clinical Records	On the Clinical Rx Summary Screen, if note-type fields were entered in a particular order and then the Copy Previous button pressed for the History/Medication notes, a second new record was created which may have resulted in the loss of some of the notes for this visit.	Bug
FOC-3142	Clinical Records	The Contact Lens Trials screen was displaying the wrong Contact Lens Name when the user navigated to the Trials tab from the Contact Lens Rx tab. In Clinical Records it was also displaying the wrong Trial lens name when navigating from other tabs	Bug
FOC-3127	Diary	<p>In the diary setup screen there is a section which allows for the individual clinic dates to be indicated.</p> <p>The user has the ability to select the individual dates in a calendar. As part of that calendar, there are arrows to let the user scroll forward and backward through the months.</p> <p>However, there was a problem if the user pressed the mouse button twice quickly in succession to move two months, this was being treated like a double click and was marking or unmarking the date selected in the calendar at that time, as if the user had deliberately double clicked on that date.</p> <p>The process has been changed so that only a single click is required to select/unselect dates in the calendar. This will speed up the process of selecting and unselecting dates</p>	Bug
FOC-2961	Dispensing	It was not possible to dispense different quantities for the left and right eyes in contact lens dispensing if the lenses were the same type. A setting has been added so that all contact lens dispenses can be defaulted to be a 'Split Pair' as was the default in previous versions of Focus 2.0.	Enhancement
FOC-3225	Dispensing	The setting to default contact lens pair dispensing as 'split pairs' (when using the new enhanced contact lens module) has been changed to default to True in the utility Add All function	Enhancement
FOC-2966	Examinations	The Clinical Lens Meter screen now has buttons to view previous spectacle dispenses and to copy previous prescriptions. It is now possible to copy previous lens meter and given prescriptions.	Enhancement
FOC-2975	GOS Forms	<p>(Scotland Only)</p> <p>The Scottish GOS 3 form on the Patient Summary / Claims screen has been updated to reflect the changes for the latest April 2016 form.</p> <p>To select the latest form, right-click the Claims Forms section from the Patient Summary screen to access the Claim Form Versions screen. Select Apr 16 for GOS3 (Voucher) and press OK to save this setting.</p>	Enhancement
FOC-2976	GOS Forms	<p>(Scotland Only)</p> <p>The Scottish GOS 4 form on the Patient Summary / Claims screen has been updated to reflect the changes for the latest April 2016 form.</p> <p>To select the latest form, right-click the Claims Forms section from the Patient Summary screen to access the Claim Form Versions screen. Select Apr 16 for GOS4 (Replacement) and press OK to save this setting.</p>	Enhancement

VERSION CONTENTS REPORT

VERSION :

2.0.14.2

RELEASED :

03/03/17

REF	MODULE	DESCRIPTION	TYPE
FOC-3055	Marketing	In the Marketing Analysis module one of the options is to run a query using the Appointment Status and for a specific diary for various date ranges. The Appointment Status and Diary selection boxes were empty and no selection was possible.	Bug
FOC-3065	Orders	When creating a "frame only" order, when the order was moved from Jobs Pending to Orders Pending, it was possible that the order would not appear on the Order Fullfillment screen.	Bug
FOC-3133	Orders	If a replenishment type contact lens "To Be Ordered" was set to zero quantity in the Dispense Fulfilment screen then invalid orders with zero references may have been created in the Orders Pending tab in the Jobs screen.	Bug
FOC-3158	Orders	In the orders module users were not able to print the external order reports for completed spectacle orders.	Bug
FOC-3058	Patient Display	Some screens in Focus 2.0 display an information panel at the top with summary information about the patient and the patient prescriptions. The Rx Given prescription was not always showing the correct one for the patient.	Bug
FOC-2295	Payments & Supply Manager	The Discount facility has been re-enabled in Focus 2.0. In addition, the discount amounts that were posted when dispatching PASM items have been corrected which also corrects the dispense totals.	Bug
FOC-3176	Payments & Supply Manager	The Add Items to a mandate screen was showing incorrect information regarding discounts when the quantity was greater than 1. The discount amount now shows the true amount that will be discounted when dispensed and the Selling Price now shows the amount that the patient will pay (less discount) The controls have been rearranged to make it easier to understand what will actually be charged at dispense time.	Bug
FOC-3183	Payments & Supply Manager	In PASM when adding contact lenses to a mandate, if the left lens quantity was altered, the price was not recalculating	Enhancement
FOC-3185	Payments & Supply Manager	In the PASM Module when adding Contact Lens Items to a mandate the handling of discount has been corrected and improved. 1) The Discount Amount now takes note of the quantity and shows the total discount per lens that will be deducted. 2) The Total Price for each lens is the amount before discount is deducted. 3) For a split pair dispense type, the discount is now the same for both eyes	Bug
FOC-3189	Payments & Supply Manager	In the PASM Add Mandate Contact Lens Items screen the Instalment value for the right lens sometimes displayed the wrong value if there was a discount on the lens	Bug
FOC-3205	Payments & Supply Manager	When a pair of contact lenses were added to a patient mandate in PASM, the wrong values were showing in the Regular Amount and Discount fields on the Patient Mandate screen. This is only relevant if the setting 'Auto Re-total Mandate' was switched on.	Bug
FOC-3219	Payments & Supply Manager	The Price column in the items grid on the PASM Patient Mandate screen was not showing the true selling price including discounts	Bug
FOC-3220	Payments & Supply Manager	In the PASM add contact lens items screen the pricing information has	Enhancement

VERSION CONTENTS REPORT

VERSION :

2.0.14.2

RELEASED :

03/03/17

REF	MODULE	DESCRIPTION	TYPE
		<p>been changed to make it easier to understand. There is now :- Total Price (unit price x quantity) Discount Price (discount amount for the total price) Selling Price (total price - discount price)</p>	
FOC-603	Payments & Supply Manager	<p>When selecting the "PASM Dispatch List" report in the "Branch Control" section of the reports, a new "Summary" option has been added. When ticked, this option will run the summary version of the report instead of the fully-fledged one.</p> <p>The other 2 options now available are:- 1) Autosupplied Fees - when this is ticked, PASM fees will be listed, otherwise they will not be listed. 2) Autosupplied Others - when this is ticked, all autosupplied PASM 'Other Items' will be listed, otherwise all manual supplied PASM 'Other items' will be listed</p>	Enhancement
FOC-2844	Recalls	The Send Email button was missing from the Print Letters tab on the Recall Screen.	Bug
FOC-2981	Refraction	If the 'Update Recall' checkbox was ticked on the basic refraction screen and then a prescription from a previous visit was viewed, this could cause the patient recall to be updated using the details on the older prescription visit.	Bug
FOC-3161	Refraction	<p>Non-clinical version only.</p> <p>In the spectacle prescription screen, the Copy Previous button was occasionally copying the incorrect prescription.</p>	Bug
FOC-2943	Stock and Catalogue	Contacted Lenses Imported via the Adaro Catalogue did not have a ZZ Group assigned to them and the Model occasionally needed to be changed. To this end, Contact Lens Model and ZZ Group have been added to the Bulk Updates screen.	Enhancement
FOC-2986	Stock and Catalogue	The patient's ID was not being displayed in the ID column of the Stocked Products.	Bug
FOC-3068	Till	When the 'No Sale' button was pressed at the Till, it was not opening a till drawer.	Bug
FOC-3098	Till	Tender type swap could not be performed at the till for the sales that had a remaining balance.	Bug
FOC-3113	Till	When change was due during tendering a sale, the application was not requesting confirmation from the user before posting the change amount to the patient account and clearing the screen.	Bug
FOC-3171	Till	When applying a benefit in the till screen, there was an error 'DataController not in GridMode'	Bug

VERSION CONTENTS REPORT

VERSION :

2.0.14.3

RELEASED :

13/06/17

REF	MODULE	DESCRIPTION	TYPE
FOC-3317	Benefits	(Scotland Only) The Scottish GOS1 claims can now be submitted directly to OWF web site.	Enhancement
FOC-3337	Payments and Supply Manager	When adding a credit sale with an initial payment to a mandate the regular payment amount was incorrectly deducting the initial payment twice.	Bug
FOC-3340	Payments and Supply Manager	There was an error when trying to search for items from the PASM Add Items screen and the non-stocked products maintenance screen. The error was - CDSCatalogSearch - cannot perform this operation on a closed dataset	Bug

VERSION CONTENTS REPORT

VERSION :

2.0.14.4

RELEASED :

19/01/18

REF	MODULE	DESCRIPTION	TYPE
FOC-3499	eGOS Scotland	The Scottish GOS1 claim form has new wording in the 'To be signed by' section	Enhancement
FOC-3500	eGOS Scotland	The Scottish GOS1 form was not allowing the user to change from a primary exam type to a supplementary exam type	Bug
FOC-3506	eGOS Scotland	As part of the eGOS Scotland enhancement the address data being sent was changed to include the House and Flat Numbers.	Bug
FOC-3509	eGOS Scotland	As part of the eGOS Scotland enhancement, claims were being rejected because the wrong value for the Date Authorised was being transmitted. This date should be the form print date.	Bug
FOC-3510	eGOS Scotland	As part of the eGOS Scotland enhancement the address values and patient name values are now cleaned prior to transmission to remove illegal characters which would cause issues on the NHS website	Enhancement
FOC-3513	eGOS Scotland	As part of the eGOS Scotland enhancement extra validation has been added to the supplementary eye exam information within the Gos 1 screen.	Enhancement
FOC-3516	eGOS Scotland	As part of the eGOS Scotland enhancement the entry for Supplementary Reason Codes and Early Reason Codes have been changed to be drop down selection boxes	Bug
FOC-3519	eGOS Scotland	As part of the eGOS Scotland enhancement the Ophthalmic Number can be changed by selecting the staff member from a drop down on the 'Declaration' TAB within the GOS 1 screen.	Enhancement
FOC-3520	eGOS Scotland	As part of the eGOS Scotland enhancement the data entry for the Unable To Attend box, on the Claim TAB within the GOS 1 screen, was changed to a fixed drop down list of populated statements to ensure that the data transmits correctly.	Enhancement

VERSION CONTENTS REPORT

VERSION :

2.0.14.5

RELEASED :

06/03/18

REF

MODULE

DESCRIPTION

TYPE

FOC-3604

Letters

When integrated with MS Word for letters and using the Ocuco hosted environment there were intermittent instances of "Cannot open file TempTemplate.doc. The process cannot access the file because it is being used by another process" errors.

Bug