

VERSION CONTENTS REPORT

VERSION : 2.0.16.1

RELEASED : 15/08/18

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-3418	Benefits	When a benefit was deleted and the amount recouped from the patient, the dispense was reopened but a benefit could not be reapplied within the dispense review screen.	Bug	All
FOC-3761	Benefits	The reason for return and reason for reversal selection controls from the Claim Adjustment screen were empty and nothing could be selected.	Bug	All
FOC-3893	Benefits	The insurance benefits adjustments screen can no longer remove benefits which were added using the "Late Benefit" feature (which allows benefits to be added to a sale after the initial tender). This is because late benefits get added as their own independent sale (dated as per the date of the operation) and not part of the original sale. To delete the benefit entirely (in order to recoup) therefore leaves the application with an entirely empty transaction that cannot be recouped against.	Bug	All
FOC-3780	Central Maintenance	(Central Maintenance only) When the user tried to merge Recall templates or Label Templates, 'The template has been formatted incorrectly' message displayed although the formatting was correct.	Bug	All
FOC-3810	Central Maintenance	(Central Maintenance Only) The 'Post Code' eraser would not remove the text from the staff or practice maintenance screens.	Bug	All
FOC-3313	Clinical Records	The Lens Meter screen in the Clinical version of Focus 2.0 had a label for the date selection control that was causing confusion. The label has been changed from 'Rx Date' to 'Date' and a tooltip hint of 'The date of the prescription of the glasses measured' added when the mouse is hovered over the date control	Enhancement	All
FOC-3904	Configuration	'Alt Tel 1' and 'Alt Tel 2' fields have been removed from the Practice Details Configuration screen.	Bug	All
FOC-3606	Configuration	In the 'Option Maintenance' section of the Application the user can now enable an automatic logout setting. Once enabled the user can set the logout timer, the screensaver type and how they will re-login.	Bug	All
FOC-3217	Dispensing	In the Dispense/Sales screen, if a dispense was taken to the till and another user on another computer was editing a spectacle or contact lens dispense for that same patient, a warning message would advise against taking the dispense to the till but it was still allowed to be taken to the till. This has been changed to always prevent the dispense being taken to the till if these circumstances exist due to errors being caused when the message was ignored.	Bug	All
FOC-3287	Dispensing	The previous spectacle dispenses dialog screen was not always showing all previous dispenses for a patient. If the Jobs screen had been accessed during the current session, the previous dispenses displayed were not correct	Bug	All
FOC-3427	Dispensing	Ability to acquire trace data from a connected frame tracer unit, into the Spectacles Dispense and Stocks module, was added.	Bug	All

VERSION CONTENTS REPORT

VERSION :

2.0.16.1

RELEASED :

15/08/18

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-3472	Dispensing	When dispensing a new pair of spectacles in the Non-validated version of Focus, the user was unable to edit the value that had been calculated for the "Min Blank Size".	Enhancement	All
FOC-3473	Dispensing	(Non-Validated dispensing only) When dispensing spectacles, the application enforces the user to select appropriate lens type and the distance(s) required. When dispensing frames with 'own pair of lens' selection, the validation message 'Please choose the distance required' was displayed and prevented the user from dispensing frame only spectacles.	Bug	All
FOC-3528	Dispensing	The New Dispense screen has been changed to display a confirmation message to the user: "Contact lenses have been overwritten by another session. The items will be updated. Are you sure you wish to continue ?." to warn that the contact lens items have been overwritten by another user.	Bug	All
FOC-3788	Dispensing	In the dispense spectacles screen with the 'Validated Spectacles' 'Validate Frame Measurements' configuration option set to 0 the box measurements was not being validated at all, even if there was data populated. This configuration option should not affect the validation of the data that has been entered into the measurement boxes it should just validate blank entries into the boxes.	Bug	All
FOC-3848	Dispensing	The default value for the configuration option that determines the level of validation on frame measurements was incorrect. While frames were being validated the application was allowing the user to continue with a warning message, the default now is to validate no frames unless the user changes the configuration option themselves.	Bug	All
FOC-3874	Dispensing	The wrong item type was getting added for sunglasses, it was getting assigned the value of 8 which corresponds to the "Other" types, instead of 10 which corresponds to sunglasses. This meant that when dispensing a pair of sunglasses an SMS message would not get sent following a sunglasses dispense.	Bug	All
FOC-3881	Dispensing	When searching for lenses using the Search Option within the application, the style, material and colour lens search options were not working as the drop-down list was always empty.	Bug	All
FOC-3896	Dispensing	When searching for contact lenses using the Search Option within the application, the material search options were not working as the drop-down list was always empty.	Bug	All
FOC-3285	Examinations	When copying a previous contact lens visit in the CL Examination screen (Focus 2.0 Clinical only), the conclusion notes were also being brought forward to the new visit.	Bug	All
FOC-3569	GDPR	A Data Protection configuration screen was added to the application. It allows users to configure the template documents. The disclaimer text that appears in the data	Enhancement	All

VERSION CONTENTS REPORT

VERSION : 2.0.16.1

RELEASED : 15/08/18

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
		<p>protection screen, and which activities they wish to explicitly request content for.</p> <p>The remove patient disclaimer text is the text that appears when the user wishes to process a request to be forgotten.</p> <p>If a system has specific modules turned on, for example, Recall, Email, SMS, Surveys, Third Party, Mail and Marketing, then the corresponding area will be available for patient consent request. Marketing and Third Party sections are mandatory, other sections are optional. Configuration screen also facilitates the patient consent age and minimum retention period.</p>		
FOC-3682	GDPR	<p>A Data Protection configuration screen was added to the application. It allows users to configure the template documents. The disclaimer text that appears in the data protection screen, and which activities they wish to explicitly request content for.</p> <p>The remove patient disclaimer text is the text that appears when the user wishes to process a request to be forgotten.</p> <p>If a system has specific modules turned on, for example, Recall, Email, SMS, Surveys, Third Party, Mail and Marketing, then the corresponding area will be available for patient consent request. Marketing and Third Party sections are mandatory, other sections are optional. Configuration screen also facilitates the patient consent age and minimum retention period.</p>	Bug	All
FOC-3650	Imaging	<p>A new configuration option has been added to Focus 2.0 to allow the user to customise the caption of the pages like Fundus, Anterior, Other, Fluorescein, Perimetry, Scan under Imaging from the Configuration Options</p>	Enhancement	All
FOC-2994	Letters	<p>This option is so that if another user on another computer changes the letters in any way, other users on other computers will get the latest version when entering the recall screen without having to log out and back in again.</p>	Bug	All
FOC-3607	Letters	<p>When integrated with MS Word for letters and using the Ocuco hosted environment there were intermittent instances of "Cannot open file TempTemplate.doc. The process cannot access the file because it is being used by another process" errors.</p>	Bug	All
FOC-3786	Letters	<p>The 'Alias' bookmark has been removed from the application as the field is not available within the Patient screen.</p>	Bug	All
FOC-3827	Marketing	<p>On selecting 'Other Products' as the query parameter, 'Fee' as the value and any value for Maker field, we are getting an error 'Cannot perform on a closed dataset' and 'invalid identifier'. A fee does not have a 'Maker' so this field has been disabled.</p>	Bug	All
FOC-3873	Marketing	<p>In the Marketing Analysis module, when saving query parameters, additional parameters were added to the saved query that were not selected by the user. This was due to the use of '<New Query>' template name because this query template must be empty at all times.</p>	Bug	All

VERSION CONTENTS REPORT

VERSION :

2.0.16.1

RELEASED :

15/08/18

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-3167	Ordering	The Contact Lens Order form could not display the full contact lens name if it contained more than 40 characters.	Bug	All
FOC-3834	Ordering	A patient order with no order type was causing orders to be stuck within the orders modules because they had job number value 0, no dispense reference and the record looked invalid. This order record could not be progressed within the orders module so data fix was required.	Bug	All
FOC-3843	Ordering	The 'Order Later' order type option has been removed from the Dispense Fulfilment screen.	Enhancement	All
FOC-889	Ordering	In the Jobs screen, if the print or preview orders button was pressed and there were no valid orders to print, it would appear that nothing was occurring in Focus 2.0. A message advising that there is nothing to print has been added	Bug	All
FOC-466	Patient Notes	If an SMS message is sent to a patient from the Patient Jobs screen, a note is now added to the Patient Notes.	Enhancement	All
FOC-3527	Patients	The patient email address has been expanded to allow for up to 100 characters to be entered	Enhancement	All
FOC-2504	Recall	In Recall letter printing, if the 'Current Patient' option was selected, when it came to updating the status for the patient recall the last patient in the list was updated rather than the chosen patient	Bug	All
FOC-3037	Recall	In Central Maintenance. there is an extra tab in Recall showing the recall histories by practice and by recall type. This was showing the practice that the recall was run at rather than the practice that the letter was for. This has been changed to show the correct practice.	Bug	All
FOC-3829	Recall	The ability for the user to edit the 'Recall Scheme' on an old visit has been disabled, they can now only edit the 'Recall Scheme' on the current prescription.	Enhancement	All
FOC-3621	Recalls	Within the Recall module, an incorrect email was sent out to the patient when a different letter was previewed before the recall email was sent to the patient.	Bug	All
FOC-3791	Recalls	In the "Basic Rx" tab on the Rx screen, if the "Update Recall" checkbox is ticked and you change the "Recal scheme" value and then click either the "Previous" or "Next" button then a message occurs saying: "Recall details for this patient have been changed on another computer. Any changes you have made to the recall details on this screen will be discarded. Press OK to refresh the recall details."	Bug	All
FOC-3624	Referrals	When the user had created a patients referral letter and then completed the handover the custom prescription report would have overwritten the patient's referral letter. This was only occurring when the application was configured to use modal referral letter and use custom refraction report,	Bug	All
FOC-3428	Refraction	Two new contact lens prescription configuration options have been added: 1) Users now have the ability to specify which of the 5 basic contact lens prescriptions fields (base curve,	Bug	All

VERSION CONTENTS REPORT

VERSION :

2.0.16.1

RELEASED :

15/08/18

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
		diameter, sphere, cylinder, axis and add) are to be mandatory. 2) Users now have the ability to specify if a second sphere and second base are to be included in the mandatory fields list.		
FOC-3787	Refraction	In the Rx module when a user moved between perscriptions using the 'Next' and 'Previous' buttons a pop up message saying "No recall scheme has been selected, Are you sure you wish to remove the recall scheme for this patient?" this was occuring 3 times on a single click.	Bug	All
FOC-3468	Reports	When a late benefit was applied to a tendered Fee dispense, the VAT Breakdown Audit report was populating the Fee payment value in the Vatable column and not in Non-VAT column. The Late Benefit amount applied to the fee was omitted from the report, none of the Benefit columns was populated.	Bug	All
FOC-3475	Reports	A raw data report export has been added to the application to allow the customers to access and use report data for accounting, stock management, and to feed data into external systems.	Bug	All
FOC-3765	Reports	The Items By Type report was displaying an error 'Single Row Subquery returns more than one row' when the report was grouped by supplier.	Bug	All
FOC-3560	SMS	In the Option Maintenance screen on the SMS Messaging tab, the list of available templates when double clicking on the 'appointment reminder SMS selection' dropdown was incorrect. It was listing all letter templates and should only have been listing appointment SMS type templates.	Bug	All
FOC-3355	SMS Survey	A new function has been added to allow the business to send Survey SMS text to patients to obtain feedback relating to their visits and products they purchased. This change relates to the configuration options added in the system where the business can set up templates and delivery settings for up to 3 survey types.	Enhancement	All
FOC-3891	Stock and Catalogue	The search options for products are incorrect for non-stocked products. The options Range, Model and Material are incorrectly appearing for these search options.	Bug	All
FOC-2876	Web Diary	In the Web Diary / Matching / History screen an error message has been added if the Select Patient button is pressed for a web booking that has not been approved.	Bug	All
FOC-2877	Web Diary	In the Web Matching screen, if Select Patient was pressed, the patient would be selected on the Patient Screen but the Web Matching screen would remain open.	Bug	All
FOC-3816	eGOS	(Scotland) When using the eGOS OWF method for transmitting claim data to the NHS, on the GOS1 claim form did not have all of the medical conditions tick boxes were deselecting when a user clicked on the "none of the above" tick box.	Bug	All

VERSION CONTENTS REPORT

VERSION :

2.0.16.2

RELEASED :

08/10/18

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-3967	Contact Lenses	When running on a Windows 8 or Windows 10 client, the contact lens trials screen would sometimes freeze if a part value had been typed in a dropdown control and nothing selected	Bug	All
FOC-3916	Dispensing	If a spectacle dispense was ordered from the Jobs Pending tab in the Patient Jobs screen, the Glazing Workshop column was not being populated	Bug	All
FOC-3958	Dispensing	When the user entered a frame barcode within the Spectacle Dispense screen, it would retrieve previous frame details rather than the currently entered barcode details.	Bug	All
FOC-3964	Dispensing	Excluding a cylinder value from the patients prescription was causing the preferred lens section to show the incorrect pricing.	Bug	All
FOC-3976	File Export	When running the application in a hosted or centralised environment, file exports from the application (such as a report export as an Excel file) were not working. While the user was able to select the output folder location and file name, the export itself saved the file on the hosted environment and was not copied over to the user's own client PC.	Bug	All
FOC-3930	Letters	The Patient Letter and Email template screen was missing <<PS>> and <<Notes>> bookmarks.	Bug	All
FOC-3932	Letters	The 'Clinical Visit' bookmarks have been removed from the application as there are no related fields in the application.	Bug	All
FOC-3934	Letters	In the Letter / Email Templates screen some of the longer named bookmarks could not be viewed in full.	Enhancement	All
FOC-3951	Ordering	A 'missing calcCompLeftPrescription field' error occurred within the application when the user had gone to the Jobs module just after they had cancelled a sale that has a pending order. This then led to an access violation error when accessing any module within the application.	Bug	All
FOC-3920	Patient	A new 'Communications History' screen has been added into Focus 2.0. The Letter button on the left hand menu now has a dropdown menu with the option for this new screen. If the Letter button is pressed without clicking on the dropdown arrow, the Letters screen is the default. This is now available for all users.	Enhancement	All
FOC-3926	Patient	On the Patient screen, the male and female name search controls were only listing 20 records. On the Diary new appointment screen, the male and female name search controls were only listing 20 records.	Bug	All
FOC-3945	Stock and Catalogue	When entering the Stocked Products maintenance screen, Focus 2.0 would sometimes freeze whilst loading. Flickering of the screen could also occur if the user clicked off the application whilst the stock screen was loading	Bug	All
FOC-3961	Version Contents	The version contents link from the configuration drop down menu now navigates the user to a web page containing the applications version contents.	Enhancement	All

VERSION CONTENTS REPORT

VERSION :

2.0.16.2

RELEASED :

08/10/18

REF

MODULE

DESCRIPTION

TYPE

COUNTRIES

FOC-3946

eGOS
Scotland

For Scottish GOS (OWF) new codes have been added to the Early Retest and Supplementary Reason codes to bring in line with the changes made by the NHS.

Enhancement All

VERSION CONTENTS REPORT

VERSION : 2.0.16.3

RELEASED : 19/10/18

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-3978	Letters	In Focus 2.0 Clinical systems, the merge group 'Visit' was missing from the Letter Maintenance screen.	Bug	All
FOC-3980	Letters	In Focus 2.0 Clinical systems, the merge group 'Clinical Visit' was missing from the Letter Maintenance screen.	Bug	All

VERSION CONTENTS REPORT

VERSION : 2.0.16.4

RELEASED : 03/12/18

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-3993	Diary	In the Diary Screen, if more than one appointment was marked as 'Arrived' in one session in that screen, the second appointment would not have the recall details for the patient updated correctly.	Bug	All
FOC-3995	Patients	Not all record locks were being removed for the current patient on screen when the user Quit from Focus 2.0	Bug	All
FOC-4002	Stock and Catalogue	The Stock Screen loading times have been improved. The first load of the Stock Screen will always take approximately twice as long as subsequent loads though.	Bug	All
FOC-3613	Till	On occasion with the multi user till shifts enabled the till shift was reverting to a prior state and the totals were incorrect.	Bug	All
FOC-3977	Till	Some user staff types were not able to access the Till because of the message 'The entered PIN number does not have Till configured' when accessing the Till module.	Bug	All

VERSION CONTENTS REPORT

VERSION :

2.0.16.5

RELEASED :

01/03/19

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-4026	Diary Notes	If a user used a notes dialogue to edit diary notes, the diary refreshed, and then the notes dialogue was closed, it looked like notes were saved. However when the user left the diary module and came back, the notes were missing.	Bug	All
FOC-4007	Dispensing	The Lens Selection Criteria on the Lens Details tab of Spectacle Dispensing was only listing 20 records.	Bug	All
FOC-4028	Letters	Focus 2.0 users who are not using the Referrals Module only. If the Print DPP button was pressed in the Patient GDPR screen, then the letters shown were only those of type "GDPR".	Bug	All
FOC-3997	Patient	The Patient Search drop down controls in the Patient Screen and in the New Appointment Dialog in the Diary would sometimes select the wrong patient if the patient selected had lower case letters at the start of their surnames.	Bug	All
FOC-4006	Refraction	Focus 2.0 Clinical only. If Near and/or Intermediate adds were removed from the prescription on Basic Rx tab and cyls were present, the Refraction Report would still show the cyl values for the Near and Intermediate prescriptions	Bug	All
FOC-4015	Refraction	In the Spectacle Prescription Screen (Basic Rx tab in Focus 2.0 Clinical), the full Near and Intermediate prescriptions were not being populated when Near and Intermediate Adds were present	Bug	All
FOC-4027	Stock and Catalogue	The Stock Maintenance Screen was taking a few minutes to load for some users.	Bug	All
FOC-4021	Till	The Till Basket functionality was not taking into consideration the late discount applied to the sale. The late discount was only applied at the end of the tender process which led to incorrect discount allocation and payment allocation.	Bug	All
FOC-4017	eGOS Scotland	When submitting eGOS Scotland OWF claims using a windows 10 machine, the application would crash.	Bug	All

VERSION CONTENTS REPORT

VERSION : 2.0.16.6

RELEASED : 05/04/19

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-4052	Recalls	In the non-clinical version of Focus 2.0, when a new prescription was being inserted and the Recall details set to be updated, the Recall details were not being updated. However, the patient Recall details were still updatable from the Main Patient Display.	Bug	All
FOC-4053	Reports	The Patient History Report had a some labels which were in French.	Bug	All

VERSION CONTENTS REPORT

VERSION :

2.0.16.7

RELEASED :

08/10/19

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-3063	Benefits	The Amount Paid column in the Benefit Tracking Report was not relevant and has been removed from the report	Enhancement	All
FOC-3254	CL Refraction	In the Enhanced Contact Lens Prescription screen, if the eraser button was pressed on the Right Eye Model control then the Clinical Notes at the bottom of the screen were deleted as well as the lens details. This only happened if the setting to 'Always clear the contact lens prescription' was set to True.	Bug	All
FOC-4091	CL Refraction	In the Contact Lens Rx Screen, if the left lens was copied to the right lens, sometimes the Clinical Notes would be lost.	Bug	All
FOC-4083	Configuration	A new setting has been added to control if the Cancel mandate status will clear the banking information or not.	Enhancement	All
FOC-4001	Dispensing	In the Spectacle Dispense Screen, if search criteria was typed into the Lens Reference controls, it was being ignored and listed more lenses than should have been listed.	Bug	All
FOC-4073	Dispensing	In Dispense/Sales if an exchange was completed for a dispense which had a benefit and the new dispense had a benefit which was less than the exchanged benefit amount, this would leave a balance to pay. If that balance was then assigned to C.O.D. the 'Take To Till' button would not be enabled for this dispense to allow the patient to pay the balance.	Bug	All
FOC-4064	Email	When the user emailed from the query module, patients may have received an empty email.	Bug	All
FOC-4105	GOS	In the Clinical Rx Summary screen, near/intermediate cyl values were not always being updated if the distance cyl value was amended. If a Retinoscopy or Auto-Refractor prescription was added/amended and then the subjective cyl value amended without leaving the Summary screen, when the subjective prescription was copied to the given prescription on the Summary screen, the near and intermediate cyl values were not being calculated.	Bug	All
FOC-4078	Hosted	When creating a new staff member on a Hosted Focus 2.0 system, there was a problem with the permissions being granted to the user.	Bug	All
FOC-4085	Ocuco Catalog	Some of the staging tables used for the importing of catalogues contained an erroneous column. This caused an error during import.	Bug	All
FOC-2198	Payments and Supply Manager	In the Patient Mandate Screen, if the Status was changed, and the "Reason for the status change" was cancelled, then the original status on the mandate was lost and the Record Reason dialog appeared for a second time.	Bug	All
FOC-4096	Refraction	Some prescriptions in the non-clinical version of Focus 2.0 were missing the cylinder and axis values for the near and intermediate prescriptions.	Bug	All
FOC-3983	Reports	Where a spectacle dispense contained a discount for the lenses portion of the dispense and that spectacle dispense was later edited to remove the lens discount,	Bug	All

VERSION CONTENTS REPORT

VERSION :

2.0.16.7

RELEASED :

08/10/19

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-4070	Reports	<p>then the amount reported on the ZZ Report for that item still showed the discounted amount.</p> <p>In the Stock Valuation Report, the Cost column was always showing the Average Cost</p>	Bug	All

VERSION CONTENTS REPORT

VERSION : 2.0.16.8

RELEASED : 17/02/2020

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-4174	Benefits	<p>(England Only)</p> <p>Activity data on NHS sight tests, optical vouchers and repairs/replacement are collected via a series of GOS forms, that now are submitted electronically using Focus: GOS1 - NHS sight tests, including information of patient eligibility status. GOS3 - NHS optical vouchers, including information on patient eligibility status. GOS5 - Private sight tests with partial help towards the full costs.</p> <p>Main features:</p> <p>Claim status updates are achieved real time. The submission process is seamless and takes only a few minutes from form completion, to submission and acceptance, and for payment. The claim statuses can be tracked in the Focus Benefit Tracking module, using the the different process status, and in a more granular level, using the Submission History, with updates coming directly from PCSE.</p> <p>Electronic signature capturing is also a new mandatory feature to support the full eGOS. This feature allows the forms to be signed electronically so that the signatures are sent alongside the claim. Focus has validations in place to prevent form submission without all required signatures.</p> <p>A Voucher creation/validation is introduced for GOS 3, to allow the creation of a voucher on a new form for the patient to take away, or the validation of an existing voucher to prevent claim submission with invalid or used up vouchers. This voucher creation and validation happens real-time with PCSE.</p> <p>GOS form validation ensures all the required information is captured before claim submission. Focus caters for three tiers of validations. One for the basic form data, to ensure the form filled in properly. The second, electronic signature validation, to ensure all the signatures are captured for submission. And finally, a third level, just before submission in the Benefit Tracking module, to ensure all the information is correct, increasing the claim success rate.</p> <p>Claims in a Submitted state in Benefit Tracking will be processed automatically with real time s</p>	Enhancement	All
FOC-4229	Benefits	When dispensing fees that have linked benefits associated with them, the system was not linking the benefit to the appropriate GOS form.	Bug	All
FOC-4230	Benefits	When sorting claims in the benefits screen by using the Claim Type column, users were receiving a "Field index out of range" error.	Bug	All

VERSION CONTENTS REPORT

VERSION : 2.0.16.8

RELEASED : 17/02/2020

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-4231	Benefits	(England Only) When creating or editing a GOS6 form, it was not possible to change the NHS or NI numbers. This was incorrect as these are the values copied from the patient file and should be editable.	Bug	All
FOC-4232	Benefits	(England Only) When creating a new GOS form, the 'Test Practitioner' name was defaulting to the name of the current user. This has been changed to use the name in the 'Prescribed by' field in the Rx Given screen.	Enhancement	All
FOC-4233	Benefits	The current functionality for "Small Frames" and "Special Facial Characteristics" has been changed to come in line with the new GOS3 form standards.	Enhancement	All
FOC-4234	Benefits	A validation button has been added to the GOS1, 3, 4, 5 and 6 forms which allow the user to self-validate the forms. This ensures their completion, especially when submitting to eGOS.	Enhancement	All
FOC-4235	Benefits	(England Only) When a GOS claim has been submitted, the related GOS form should not be editable and made read only. They should only be editable if rejected or pending/ready.	Enhancement	All
FOC-4236	Benefits	(England Only) When a claim has been sent to the rejection tab and the decision is then to delete this claim, it was not possible to do so from the rejection tab. This claim had to be moved to pending to do so. The delete option has now been added to the rejection tab.	Enhancement	All
FOC-4237	Benefits	The new GOS forms require a performer number. This performer number was previously validated to ensure the value contained OPL which is no longer valid as the performer numbers only contain the number portion of those original values. As a result, this feature has been bypassed.	Enhancement	All
FOC-4238	Benefits	(England Only) When dispensing a fee which has been configured to have an associated benefit, users were not being warned when there were no valid GOS forms to link to when the new benefit was being created.	Bug	All
FOC-4239	Benefits	On the GOS5 form, the labels for "Accompanied" and "Reason" have had their caption changed to be more easily understood as they were causing confusion.	Bug	All
FOC-4241	Benefits	(England Only) When creating a GOS1 form for a patient over 60, the system automatically sets the "To be signed by" to be the guardian. This is not the case as a patient over the age of 60 can be more than capable of signing their form therefore this has been removed.	Bug	All
FOC-4242	Benefits	Additional validation has been added to the "Benefit Tracking" screen. This ensures that all signatures have been entered for the GOS1 form when the user moves a claim forward from pending.	Enhancement	All
FOC-4243	Benefits	(England Only) Extra validation has been added to the GOS1 form for school, hospital and GP addresses to ensure these are completed when the options are selected to stop rejected claims.	Enhancement	All
FOC-4244	Benefits	If a GOS4 claim form is to be signed by a guardian, their name and address must be included. Therefore,	Enhancement	All

VERSION CONTENTS REPORT

VERSION :

2.0.16.8

RELEASED :

17/02/2020

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
		additional validation has been added to ensure these are completed.		
FOC-4245	Benefits	If a GOS3 claim form is to be signed by a guardian, their name and address must be included. Therefore, additional validation has been added to ensure these are completed.	Enhancement	All
FOC-4246	Benefits	It was not possible to edit the guardian information on the GOS1 form as it was being made read-only. It is possible to do this on the GOS3 and therefore has been changed so that both can be edited.	Bug	All
FOC-4247	Benefits	If a GOS1 claim form is to be signed by a guardian, their name and address must be included. Therefore, additional validation has been added to ensure these are completed.	Bug	All
FOC-4248	Benefits	(England only) The GP list on the GOS1 claim was showing all professionals regardless of their type and should only show professionals of GP type.	Bug	All
FOC-4249	Benefits	When using the "Copy Sight Test" feature on the GOS1 and 3 forms, not all the information was being copied which was causing incorrect claims.	Bug	All
FOC-4250	Benefits	(England Only) On the GOS3 form, users could select different supplier and patient order types. Additional validation has been added to ensure these are the same as this causes rejected claims.	Bug	All
FOC-4251	Benefits	(England Only) Additional validation has been added to the GOS3 form to ensure users have entered consistent information when selecting either 1 or 2 pairs.	Bug	All
FOC-4252	Benefits	(England Only) Additional validation has been added to the GOS3 form to prevent users entering incorrect voucher types when selecting Bifocal/Varifocal glasses as incorrect selections can cause rejected claims.	Enhancement	All
FOC-4253	Benefits	(England Only) The test date being automatically populated on the GOS1 and 3 forms has been changed to use the prescription date instead of the visit date.	Bug	All
FOC-4254	Benefits	(England Only) The test date being automatically populated on the GOS6 form has been changed to use the visit date instead of the prescription date.	Bug	All
FOC-4255	Benefits	(England Only) The test date being automatically populated on the GOS5 form has been changed to use the visit date instead of the prescription date.	Bug	All
FOC-4256	Benefits	(England Only) On the GOS3 form, Prism controlled bifocal can only be used with a voucher type H therefore extra validation has been added to ensure this is set correctly.	Bug	All
FOC-4257	Benefits	(England Only) GOS 1 claims were being rejected when 'No Prescription' and 'Issued a Voucher' were ticked because a patients cannot be issued a voucher if no prescription is needed. Therefore, additional validation has been added to ensure these cannot be selected together.	Bug	All
FOC-4258	Benefits	(England Only) Additional validation has been added to	Bug	All

VERSION CONTENTS REPORT

VERSION : 2.0.16.8

RELEASED : 17/02/2020

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-4259	Benefits	the GOS 6 form to prevent users from selecting invalid statement combinations as these cause rejected claims. (England Only) Additional validation has been added to the GOS 5 form to ensure the "Patient Was" section is selected when the "Unable to Attend" is also selected as this causes rejected claims.	Bug	All
FOC-4260	Benefits	(England Only) On the GOS 3, 4 and 6 forms, the under 16 age limit validation was not triggering correctly when the patient was exactly 16.	Bug	All
FOC-4261	Benefits	(England Only) When users changed the patient contribution value on the GOS 5 form, the totals were not updating correctly which could result in wrong totals being claimed for.	Bug	All
FOC-4262	Benefits	(England Only) New fields have been added to the GOS 5 form to capture the sight test address as this is required on the new GOS form and for electronic submission (eGOS).	Enhancement	All
FOC-4263	Benefits	Extra validation has been added to the GOS 1, 5 and 6 forms to ensure that users enter a "Contractor Name", as missing these cause rejections.	Bug	All
FOC-4264	Benefits	(England Only) The claim totals on the GOS 3 form were being calculated wrong when using the 1st and 2nd pair tick boxes to assume zero cost prices.	Bug	All
FOC-4265	Benefits	(England Only) Users were unable to progress any GOS3 forms without entering a voucher code when eGOS was switched on. This was incorrect as these codes are only applicable when voucher has been presented from another store. Therefore, a new setting has been added to allow this to be bypassed to facilitate customers who work remotely and have no internet connection to the eGOS service	Enhancement	All
FOC-4266	Benefits	(England Only) When adding a new GP via the GOS 1 form, the system was doing this process twice which in turn was creating 2 entries	Bug	All
FOC-4267	Benefits	When selecting hospital for the patient in GOS 1 form this was incorrectly over-writing the patient's GP.	Bug	All
FOC-4268	Benefits	(England Only) Additional validation has been added to the GOS1 form to ensure a value has been selected for "patient was issued a statement" or "had a changed or unchanged prescription" as these are required and cause rejected claims.	Bug	All
FOC-4269	Benefits	(England Only) When using eGOS and GOS3 form, extra validation has been added to the claim amounts to ensure the amount does not go over the maximum value allowed.	Bug	All
FOC-4277	Benefits	(UK Only) Within the GOS 1, GOS 3 and GOS 5 forms the initial date for the last sight test is populated differently based on a new setting. It will either populate from the Rx Given screen or from the last patient visit.	Bug	All
FOC-4279	Benefits	(England Only) The upper age limit checks on the GOS form has been removed as this is a fixed value and	Bug	All

VERSION CONTENTS REPORT

VERSION :

2.0.16.8

RELEASED :

17/02/2020

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-4072	Dispensing	changes depending on GOS rules. Therefore only the lower age limits are validated. In Focus 2.0 if a Spectacle Dispense had a stock frame and 'Pair Own Lenses', then the Dispense Fulfilment screen was allowing a blank Order Type, which in turn was causing problems in the Jobs Screen. The validation is now checking for this and enforcing one of the Order Type options to be chosen from the dropdown list.	Bug	All
FOC-4302	Equipment Links	RT-5100 link now available in Focus 2.0	Enhancement	All
FOC-4280	Patients	The retirement age for pension has changed over the last few years, but the validation on eGOS was still using fixed ages for females and males. There will be one standard age now which can be changed via a setting and no gender distinction.	Bug	All
FOC-3929	Payments and Supply Manager	In the Payment and Supply Manager (PASM) the files produced for electronic submission to Eazipay, the AUDDIS and BACs files, has been changed back to the old file format that was before the SHA2 Compliant file format was introduced into the application.	Enhancement	All
FOC-4228	eMails	Some customer emails were not delivered due to TLS version restrictions.	Enhancement	All

VERSION CONTENTS REPORT

VERSION : 2.0.16.9

RELEASED : 03/08/2020

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-4294	Benefits	The GOS1 and GOS5 screens had spelling mistakes in the Retest Codes dropdown lists.	Bug	All
FOC-4312	Benefits	For non-egos systems, the GOS5 screen had a display issue whereby two controls were being displayed over the top of other controls.	Bug	All
FOC-4318	Central Maintenance	eGOS England is now available for Central Maintenance customers.	Bug	All

VERSION CONTENTS REPORT

VERSION : 2.0.16.11

RELEASED : 18/01/2021

REF	MODULE	DESCRIPTION	TYPE	COUNTRIES
FOC-4345	Benefits	Some non-eGOS claims were being treated as eGOS claims in the 'Benefit Tracking module. When the claims were processed from the Pending tab they would be given a status of 'Submitted'	Bug	All
FOC-4348	Benefits	For English eGOS claims, the GOS3 claim was not always linking to the prescription	Bug	All